

ADDENDUM NO. 2

To the Specifications and Contract Documents for the

**ST. JOSEPH COUNTY BOARD OF COMMISSIONERS
ST. JOSEPH COUNTY JAIL WASTEWATER SCREENING IMPROVEMENTS**

JANUARY 29, 2026

To: All holders of the contract documents for the above project.

The items in this addendum are to become a part of the original contract documents as if included therein. Only the noted items are affected, and the remainder of the original contract documents are to remain in their entirety.

The following change(s) to the contract documents shall be made and/or added or removed hereby:


TECHNICAL SPECIFICATIONS:

1. 46 21 10 – Dual Auger Screening Equipment

On Page 46 21 10-5, under Section 2.3 – Components, Subsection G – Drive Assembly, Item 3 shall be revised to read as follows:

“3. The motor shall be encased in the upper housing and sealed completely watertight. The motor shall be AC induction type, 0.75 HP, 3/60/230/460 volt, explosion-proof, inverter-duty model.

JONES PETRIE RAFINSKI



01/29/2026

A handwritten signature in black ink, appearing to read "Daniel E. Byam".

Daniel E. Byam, PE
Project Engineer

A signed copy of this addendum shall be submitted with the bid.

Acknowledged by: _____ Signature of Bidder	_____ Date
-----------------------------------------------	---------------

J:\Projects\2025 Projects\2025-01563 Inorganic Dual Auger Interceptor\14_Bidding\Addenda\Addendum No. 2\2026-01-29 Addendum No. 2.docx